

and More.

STAMPED CONCRETE PATTERNS

Stamped Concrete Imprinted or Textured concrete, designed To Replicate Stone, Tile, Brick, or even wood. Popular and affordable choice for Patios, Pool Decks, Driveways

Technical Data/ Specifications General Stamped Concrete System is cast-in-place concrete, integrally colored and stamped platform / texturing tools to produce a surface similar to natural stone, brick, slate and other natural paving materials. Base color is achieved through integral color pigments in the concrete mix or surface treated with color hardeners. A powdered color release agent is used in the stamping process and insures maximum surface detail while providing a second color for surface highlights and distinctive grout line look. A special acrylic base sealer added in the curing process provides full color depth and richness with maximum concrete protection. All work shall meet ASTM C 94 and ACI 332 requirements for placement of concrete includes surfaces. This sub-grade preparation and forming concrete. When the concrete truck arrives, add specified color together with reinforcing fibers. Mix integral color and fibers thoroughly in concrete truck prior to placement. The concrete is then placed at a thickness of 4" (10 cm) or 6" (15 cm) for heavier uses, screed, bull floated, and edged before applying clear or colored release agent on the surface. Release agent is applied evenly over the entire surface before stamping the surface. While in the plastic state, place stamping tools onto the surface and start stamping by using tamper to get the desired texture. Remove excess release agent and saw cut all control cuts 1/3 the thickness of slab, within 12 hours. When surface is dry, apply two coats of clear acrylic sealer to protect surface from fading or staining due to nature's elements.



CEMEK (I) PRIVATE LIMITED

(An ISO 9001:2015 & 14001:2015 Certified Company)

Address: - 2C 137/6, Gali No.-1, Teacher's Colony, Dankaur, Greater Noida, Gautama Buddha Nagar-203201 U.P.

Contact Details: - +91-9805713504 I cipla2@yahoo.com I manoj.cmri@gmail.com





CONCRETE MIX DESIGN

In freeze-thaw areas, the concrete mix design shall be a minimum of M25. Portland cement shall meet the requirements of ASTM-C 150. Cement content shall be 335-350 kg/m³ and 900 grams PP fiber per 50 Kg of cement. Add Color as specified. Slump 80 to 100 mm maximum water-cement ratio shall be 0.44 by weight. Coarse aggregate shall be in accordance with ASTM C 33 maximum size 14mm. Air-Entrainment 7% (± 1%) while using Integral Color, or 3% (+/- 1%) using Color Hardeners.

In non-freeze areas the concrete mix design shall be a minimum 3,000 psi (24.5mpa), compressive strength shall be 3,000 psi (24.5mpa) at 28 days. Portland cement shall meet the requirements of ASTM-C 150. Cement content shall be 300 kg/m³), and 900 grams PP fiber per 50 Kg of cement. Add Color as specified. Slump 80 to 100 mm maximum water-cement ratio shall be 0.44 by weight. Coarse aggregate shall be in accordance with ASTM C 33 maximum size 14mm. Air-Entrainment 7% (± 1%) while using Integral Color, or 3% (+/- 1%) using Color Hardeners



CEMEK (I) PRIVATE LIMITED


(An ISO 9001:2015 & 14001:2015 Certified Company)

Address: - 2C 137/6, Gali No.-1, Teacher's Colony, Dankaur, Greater Noida, Gautama Buddha Nagar-203201 U.P.

Contact Details: - +91-9805713504 I cipla2@yahoo.com I manoj.cmri@gmail.com









CEMEK (I) PRIVATE LIMITED

(An ISO 9001:2015 & 14001:2015 Certified Company)

Address: - 2C 137/6, Gali No.-1, Teacher's Colony, Dankaur, Greater Noida, Gautama Buddha Nagar-203201 U.P.

Contact Details: - +91-9805713504 Leipla2@yahoo.com I manoj.cmri@gmail.com

Website: - www.cemekindia.com

"Comprehensive Solution for Constructions"






Random Stone



Arizona Flagstone Stamped Concrete Pattern



Castle Stone Stamped Concrete Pattern



Garden Stone Stamped Concrete Pattern



Grand Sandstone 1/4" Joint Stamped Concrete Pattern



Grand Sandstone
Groutable Stamped
Concrete Pattern



Random Belgium Slate Stamped Concrete Pattern



Random Blue Stone Stamped Concrete Pattern



Random Canyon Stone Stamped Concrete Pattern



Random Garden Stone Stamped Concrete Pattern



Random Grand Old Granite Stamped Concrete Pattern



Random Old Granite Stamped Concrete Pattern



Random River Rock Stamped Concrete Pattern

CEMEK (I) PRIVATE LIMITED

(An ISO 9001:2015 & 14001:2015 Certified Company)

Address: - 2C 137/6, Gali No.-1, Teacher's Colony, Dankaur, Greater Noida, Gautama Buddha Nagar-203201 U.P.

Contact Details: - +91-9805713504 I cipla2@yahoo.com I manoj.cmri@gmail.com







Random Sandstone Grout able 5/8" x 5/8" Joint Stamped Concrete Pattern



Random Sandstone
Hammered Edge Stone
Stamped Concrete
Pattern



Random Sandstone
Wide Joint 5/8" – 1/4"
Stamped Concrete
Pattern



San Diego Flagstone Stamped Concrete Pattern

Square Tile



12" x 12" Adobe Tile Stamped Concrete Pattern



12" x 12" Roman Slate Tile Stamped Concrete Pattern



18" x 18" Belgium Slate Tile Stamped Concrete Pattern

Wood Plank Concrete Stamps



Boardwalk Wood Plank 12" x 4' Stamped Concrete Pattern



End Grain 6" Post Stamped Concrete Pattern



Hand Hewn Timber Plank 16" Stamped Concrete Pattern

CEMEK (I) PRIVATE LIMITED

(An ISO 9001:2015 & 14001:2015 Certified Company)

Address: - 2C 137/6, Gali No.-1, Teacher's Colony, Dankaur, Greater Noida, Gautama Buddha Nagar-203201 U.P.

Contact Details: - +91-9805713504 I cipla2@yahoo.com I manoj.cmri@gmail.com Website: - www.cemekindia.com







Random Boardwalk Wood Plank 6" with Knots Stamped Concrete Pattern



Reclaimed Timber Plank 10" Stamped Concrete Pattern



Reclaimed Timber Plank 12" Stamped Concrete Pattern

Slate Concrete Stamps



California Weave Belgium Slate Stamped Concrete Pattern



Concrete Stamp 12" Hexagon Italian Slate Stamped Concrete Pattern



Herringbone Belgium Slate 8 X 16 Inch Tile Stamped Concrete Pattern



Opa Locka New England Slate Stamped Concrete Pattern



Hexagon Roman Slate Stamped Concrete Pattern



Running Bond New England Slate 10 X 20 Inch Tile Stamped Concrete Pattern

CEMEK (I) PRIVATE LIMITED

(An ISO 9001:2015 & 14001:2015 Certified Company)

Address: - 2C 137/6, Gali No.-1, Teacher's Colony, Dankaur, Greater Noida, Gautama Buddha Nagar-203201 U.P.

Contact Details: - +91-9805713504 I cipla2@yahoo.com I manoj.cmri@gmail.com





Cobble Stone



Radius Coble Stone Stamped Concrete Pattern



Appian Cobble Large Stone Stamped Concrete Pattern



Appian Cobble Stone Stamped Concrete Patterns



Cut Stone Cobble Stamped Concrete Patterns



Herringbone Old Cobble Stone Thin Joint Stamped Concrete Pattern



Herringbone Old Cobble Stone Wide Joint Stamped Concrete Pattern



London Cobble Stone Stamped Concrete Pattern



Old Cobble Stone Stamped Concrete Pattern


Brick Patterns Stamped Concrete



Basket weave Used Brick Stamped Concrete Pattern



Herringbone Paver Stamped Concrete Pattern



Herringbone Used Brick Stamped Concrete Pattern



Running Bond Used Brick Stamped Concrete Pattern

CEMEK (I) PRIVATE LIMITED

(An ISO 9001:2015 & 14001:2015 Certified Company)

Address: - 2C 137/6, Gali No.-1, Teacher's Colony, Dankaur, Greater Noida, Gautama Buddha Nagar-203201 U.P.

Contact Details: - +91-9805713504 I cipla2@yahoo.com I manoj.cmri@gmail.com



Website: - www.cemekindia.com
"Comprehensive Solution for Constructions"